



CITY OF BISHOP

377 West Line Street - Bishop, California 93514
760-873-8458 publicworks@ca-bishop.us
www.ca-bishop.us

Request For Bids

Emergency Water Main Repair Parts

Release: 30 May 2013

Close: 3 pm 13 June 2013

The City of Bishop requests bids for the water fittings and parts listed on the next page titled "Emergency Water Main Repair Parts". Water fittings shall conform to the City of Bishop Specifications for Domestic Water and Sanitary Sewer Systems:

<http://www.ca-bishop.us/PublicWorks/WaterAndSewerSpecifications.pdf>

Bids shall be received by:
Bishop Public Works
377 West Line Street
Bishop, California 93514
760-873-8458

ITEM	UNIT COST	TOTAL
1. 2- 4 inch, 4.80 OD,MJ solid sleeves (Long) *		
2. 2- 6 inch, 6.90 OD, MJ solid Sleeves (Long) *		
3. 2- 8 inch, 9.05 OD, MJ solid Sleeves (Long) *		
4. 2- 10 inch, 11.10 OD, MJ solid Sleeves (Long) *		
5. 2- 12 inch, 12.30 OD, MJ solid Sleeves (Long) *		
6. 1- 12 inch Mueller 2360 resilient seat wedge gate valve (or equivalent) (flange X MJ)		
7. 1- 10 inch Mueller 2360 resilient seat wedge gate valve (or equivalent) (flange X MJ)		
8. 1- 8 inch Mueller 2360 resilient seat wedge gate valve (or equivalent) (flange X MJ)		
9. 1- 6 inch Mueller 2360 resilient seat wedge gate valve (or equivalent)(flange X MJ)		
10. 1- 4 inch Mueller 2360 resilient seat wedge gate valve (or equivalent) (flange X MJ)		
11. 2- 8 inch Romac 501 (or equivalent) transition couplings (8.0 OD steel to 8 inch C-900)		
12. 4- 12 inch Grip ring sets for C-900		
13. 4- 10 inch Grip ring sets for C-900		
14. 4- 8 inch Grip ring sets for C-900		
15. 4- 6 inch Grip ring sets for C-900		
16. 2-12 inch flange bolt kits		
17. 2-10 inch flange bolt kits		
18. 2-8 inch flange bolt kits		
19. 2-6 inch flange bolt kits		
20. 2-4 inch flange bolt kits		
21. 2-12 inch bell joint restraints		
22. 2-10 inch bell joint restraints		
23. 2-8 inch bell joint restraints		
24. 2-6 inch bell joint restraints		
25. 2-4 inch bell joint restraints		
26. 2-12 inch flange to MJ adapters *		
27. 2-10 inch flange to MJ adapters *		
28. 2-6 inch flange to MJ adapters *		
29. 2-4 inch flange to MJ adapters *		
30. 1-8 inch X 1 inch saddle for C-900		
31. 1-8 inch X 1,1/2 inch saddle for C-900		
32. 1-8 inch X 2 inch saddle for C-900		
33. 1-6 inch X 1 inch saddle for C-900		

34. 1-4 inch X 1 inch saddle for C-900		
35. 2-8 inch Blind Flanges		
36. 1-20 foot length of 4 inch, DR 14, C900 pipe		
37. 1-20 foot length of 6 inch, DR 14, C900 pipe		
38. 1-20 foot length of 8 inch, DR 14, C900 pipe		
39. 1-20 foot length of 10 inch, DR 14, C900 pipe		
40. 1-20 foot length of 12 inch, DR 14, C900 pipe		
TOTAL INCLUDING SALES TAX		

* following item denotes that the item must meet AWWA standard C153 or C110